

The background of the image is a repeating pattern of interconnected hexagons, resembling a molecular or crystalline structure. The lines are thin and light gray, and the overall pattern is centered on a white background.

**QDEK**<sup>®</sup>  
roofing adhesive



## WHAT IS **QDEK®?**

The **QDEK®** concept was conceived by a forward thinking chemist who saw the need for a faster, cleaner and safer process in the installation of flat roofing membrane.

**QDEK®** is a revolutionary range of spray adhesives and primers designed specifically for the bonding of single ply membranes, insulation boards and self adhesive membranes or vapor control layers in flat roofing applications. Available in 22 and 108 Liter canister systems, **QDEK®** delivers a fast, high coverage and clean application compared to traditional liquid or roll on adhesives.

The canister system removes the need to use traditional methods of bonding which are time consuming, messy and wasteful. As **QDEK®** is a spray adhesive, the user is in full control of the application of adhesive, and can apply the glue up to 20" wide in one pass, covering large areas at a rapid rate.

Our unique formulations have been proven to almost eliminate the time spent waiting for glue to tack; where with roll on adhesives you can be waiting up to 25 minutes or more, **QDEK®** can tack off in as little as 2 minutes.

With our cold weather formula, you can confidently apply the **QDEK®** adhesive below 25 degrees ambient temperature with phenomenal results, giving increased flexibility and the ability to apply adhesive all year round.

**QDEK®** is guaranteed to speed up installation, reduce adhesive application time and drastically reduce tack time, while delivering peace of mind through superior bond performance.

# OUR MANUFACTURER COMMITMENT

We're on a bold mission to push the boundaries of what's possible with adhesives. We develop formulas that are better, stronger, faster and safer right now, for a future that has yet to be created. We use a powerful three step **Dream, Develop, Deliver** process in our adhesive manufacturing approach.



We help our customers solve unique challenges in the application of roofing adhesives. We work together to **Dream** of what's possible and document associated needs and goals.



We then work with our product technical team to **Develop** the appropriate solution, whether creating an innovative new product, a specific color of adhesive, or a brand-new application method or system.




Finally, we **Deliver** –not just the finished product, but an overall package of product training, sales strategy and customer support. We **Deliver** a world-class solution to make it easy for our clients to do business.





## THE GUN SYSTEM

---




The Bead Gun has been developed for use in conjunction with Polyurethane Foam Insulation adhesives like **QD3000**. The Bead Gun is not suitable for use with any web spray contact adhesives, primers or fleeceback adhesives.

---

**BEAD GUN**

**ADJUSTMENT WHEEL**

Use this to control the flow of adhesive dispersed from the gun; turn counter-clockwise to open and clockwise to close.



**SPRAY TIP**

Changeable spray tip to optimize spraying performance - subject to adhesive type.

**ADJUSTMENT WHEEL**

Use this to control the flow of adhesive dispersed from the gun; turn counter-clockwise to open and clockwise to close.

**SPRAY TIP**

Changeable spray tip to optimize spraying performance - subject to adhesive type.

**HOSE CONNECTION**

The attachment point to connect the gun to the canister via hose.

**TRIGGER**

Pull the trigger and out comes the adhesive. Simple!

**HOSE CONNECTION**

The attachment point to connect the gun to the canister via hose.


**TRIGGER**

Pull the trigger and out comes the adhesive. Simple!

The Detail Gun is designed for applying adhesive onto smaller areas like parapets or upstands, where close attention to adhesive coat weight is critical prior to the bonding of waterproofing membrane or self-adhesive VCL's.

The Field Gun is designed for applying adhesive across large field areas. The long wand eliminates the need for users to bend/kneel down while applying adhesive, removing strain on the back and knees and allowing for a comfortable experience during adhesive application.

# THE CANISTER SYSTEM



**VALVE**  
Controls the flow of adhesive from the canister.

**DIP TUBE**  
Reaches to the bottom of the canister to ensure that every drop of adhesive is used.

**ADHESIVE & GAS MIX**  
Engineered with care and precision with intent to be the very best in the world. Pressurized gas is designed to propel the adhesive out of the system.



## TPO/EPDM MEMBRANE



# QD2040

## TPO/EPDM MEMBRANE ADHESIVE

**ODEK® QD-2040** is an aggressive, high tack contact adhesive with excellent temperature resistance and complies with stringent California VOC requirements (SCAQMD Rule 1168). QD-2040 is designed to bond TPO and EPDM to traditional roofing substrates and formulated to be used as a primer when bonding self-adhering membranes. Also used for fleece back membranes when applying adhesive to both surfaces. Formulated with CO-REZ™ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater Coverage from Less Canister Weight.

### ADVANTAGES:


- Tenacious, High Strength Bond
- High Heat Resistance
- Labor-Saving Spray-On Adhesive
- High Coverage
- Low VOC California Compliant
- Fully Portable System

### COLOR:

- Green

## TECHNICAL DATA

### COVERAGE (SQUARES):



This coverage assumes double-sided application, sprayed according to directions below. Coverage rates may vary based on ambient temperature, substrate type, spraying speed, etc.

### APPLICATION TYPE:



2 SIDED

### OPEN TIME\*:



60 MINS

### SPRAY TYPE:



WEB SPRAY

### AVAILABLE SIZES:



INTERMEDIATE  
108L



LARGE 22L

### GUN TYPE:



M120 SPRAY  
GUN  
(DETAIL GUN)

### HOSE TYPE:



M130 FLEXIBLE  
RUBBER HOSE



M125 WAND  
SPRAY GUN  
(FIELD GUN)



TDS/SDS

## PVC MEMBRANE



# QD2302

## PVC MEMBRANE ADHESIVE

**QDEK® QD-2302** is a revolutionary high performance, plasticizer resistant adhesive with excellent temperature resistance and complies with stringent California VOC requirements (SCAQMD Rule 1168). QD-2302 is designed to bond PVC Membrane to traditional roofing substrates. Formulated with CO-REZ™ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater Coverage from Less Canister Weight.

### ADVANTAGES:

- Tenacious, High Strength Bond
- Extreme Heat Resistance
- Labor-Saving Spray-On Adhesive
- Highest Coverage of PVC Membrane Adhesive Canisters
- Zero VOC California Compliant
- Fully Portable System

### COLOR:

- Clear

## TECHNICAL DATA

### COVERAGE (SQUARES):



This coverage assumes double-sided application, sprayed according to directions below. Coverage rates may vary based on ambient temperature, substrate type, spraying speed, etc.

### APPLICATION TYPE:



2 SIDED

### OPEN TIME\*:



20 MINS

### SPRAY TYPE:



WEB SPRAY

### AVAILABLE SIZES:



LARGE 22L

### GUN TYPE:



M120 SPRAY GUN (DETAIL GUN)



M125 WAND SPRAY GUN (FIELD GUN)

### HOSE TYPE:



M180 FLEXIBLE RUBBER HOSE



TDS/SDS

## POLYURETHANE BEAD ADHESIVE



# QD3000

## POLYURETHANE BEAD ADHESIVE

**QDEK® QD-3000** is a single component low rise polyurethane foam system designed for adhering conventional roofing materials. Used for bonding insulation board in bead pattern application method pattern. Can be used with Metal Deck, DensDeck®, SPF, Structural or Lightweight Concrete, Smooth or granulated Mod-Bit, Smooth or Gravel BUR, Mineral Cap sheets, Fiberboard, Rigid Insulation Board, Sheetrock type Gypsum Boards, Wood Fiber, Wood and Painted or Galvanized Steel.

### ADVANTAGES:

- Extreme Heat Resistance
- Single Component for Ease of Use
- Extreme High Coverage
- Zero VOC California Compliant
- Versatile Adhesive that bonds to nearly any surface
- Fully Portable System
- Repositionable During Open Time

### COLOR:

- White

## TECHNICAL DATA

### COVERAGE (SQUARES):



This coverage assumes single-sided application, sprayed according to directions below. Coverage rates may vary based on ambient temperature, substrate type, spraying speed, etc.

### APPLICATION TYPE:



1 SIDED

### OPEN TIME\*:



5 MINS

### SPRAY TYPE:



FOAM BEADED

### AVAILABLE SIZES:



LARGE 22L

### GUN TYPE:



M160 WAND FOAM ADHESIVE GUN (BEAD GUN)

### HOSE TYPE:



M130 FLEXIBLE RUBBER HOSE



TDS/SDS

## CLEANERS



# S101

## PREMIUM CITRUS ADHESIVE CLEANER

**Quin Tensorgrip® S101** : a premium citrus based adhesive cleaner and remover designed for safe and powerful adhesive removal. Ideal for various applications such as surface cleaning, adhesive spray equipment purging, and decal adhesive residue removal, S101 ensures compatibility with most non-porous materials for hassle-free use. Simplify your adhesive management with Tensorgrip S101 reliable, efficient, and trusted.

### ADVANTAGES:

- Slow dry for maximum usability
- Compatible with most plastics
- Pleasant citrus scent
- Convenient for purging adhesive spray equipment
- Fully portable system
- 100% Cleaner transfer to surface
- Can be used with most spray guns and hoses

Not for sale or use in California.

## TECHNICAL DATA

### SPRAY TYPE:



MIST SPRAY

### OPEN TIME:



5-7 MINS

### AVAILABLE SIZES:



LARGE 22L



MINI 7L



AEROSOL  
650 ML  
(22 FL OZ)



TDS/SDS

## CLEANERS



# S104

## ADHESIVE CLEANER & REMOVER

**Quin Tensorgrip® S104** is an adhesive cleaner and remover designed to safely and powerfully remove adhesives and other tough substances.

### ADVANTAGES:

- Exceptional cleaning and degreasing power
- Non-corrosive
- Compatible with most plastics
- Cleans hoses, spray guns, and other adhesive equipment
- Decal adhesive residue removal

Not for sale or use in California.

## TECHNICAL DATA

### SPRAY TYPE:



MIST SPRAY

### AVAILABLE SIZES:



LARGE 22L



MINI 7L



AEROSOL  
650 ML  
(22 FL OZ)



TDS/SDS





# S105

## ACETONE CLEANER

Quin Tensorgrip® S105 is an acetone-based cleaner designed for cleaning out hoses and guns used for polyurethane canisters. Works well for cleaning uncured/wet polyurethane adhesive.

### ADVANTAGES:

- Effective as a gun & hose clean out
- Hazardous Air Pollutants free
- Low Odor
- Low VOC
- Fully portable system
- Safe to use on most materials

Not for sale or use in California.

## TECHNICAL DATA

### SPRAY TYPE:



MIST SPRAY

### AVAILABLE SIZES:



LARGE 22L



MINI 7L



TDS/SDS



# S800

## TIP CLEANER FOR CROSS-LINKING CONTACT ADHESIVE

Quin Tensorgrip® S800 is a powerful, unique tip cleaner developed specifically for care of gun tips used with Tensorgrip® cross-linking contact adhesives. This cleaner effortlessly eliminates adhesive blockage from gun tips without creating an unnecessary mess or affecting moisture-cure adhesives negatively.

### ADVANTAGES:

- Safe & Effective
- Fast cleaning of tips
- Assists in smooth, uninterrupted spray of Tensorgrip® cross-linking contact adhesives
- Hazardous Air Pollutants free
- No mess

Not for sale or use in California.

## TECHNICAL DATA

### SPRAY TYPE:



MIST SPRAY

### AVAILABLE SIZES:



AEROSOL  
650 ML  
(22 FL OZ)



TDS/SDS



# M120

## ADJUSTABLE SPRAY GUN

Heavy duty, built to last through steady industrial use. This is your go-to spray gun, compatible with all of our spray tips and suitable for every industry.



# M125

## WAND SPRAY GUN

The fastest, easiest application of canister spray adhesives ever! Extend your reach, save your back and cut down on application time with a wide fan web spray. Suitable for most web spray products. Best for applications where bending over or reaching is required.



# 11002B

## BRASS SPRAY TIP

This UniJet® brass spray tip is used for QD2040 and QD2302 with high flow and very adjustable spray patterns. For optimal performance, change out the spray tip regularly.



# M160-450

## BEAD SPRAY GUN

The M160-450 Wand Foam Adhesive Gun Bottom Feed features a Professional Long Wand extension for added comfort and ease of use. This bead gun is one of a kind with its unique airtight spray tip, allowing it to be reused.



# M180

## WHITE FLEXIBLE HOSE

The M180 white flexible hose is designed to be used for all QDEK canister adhesives.

### SIZES:

- 12'
- 18'
- 25'





5510 F Street  
Omaha, NE 68117  
USA

[www.qdekusa.com](http://www.qdekusa.com)  
[www.quinglobal.com](http://www.quinglobal.com)  
[info.us@quin-global.com](mailto:info.us@quin-global.com)  
+1 402 731 3636

---

# CONTACT US

A brand of

**QUIN** : ADHESIVE  
GLOBAL INNOVATORS

---

[www.quin-global.com](http://www.quin-global.com) | [www.qdekusa.com](http://www.qdekusa.com)  
[info.us@quin-global.com](mailto:info.us@quin-global.com) | +1 402 731 3636

B-QDCAT | ECR24-092-1224