



**QDEK<sup>®</sup>**  
roofing adhesive



2040

**ODEK**

Roofing Adhesive

TPO/EPDM MEMBRANE ADHESIVE

Size: Large 55L  
Color: White  
Item Number: 05-2040-01

2302

**ODEK**

Roofing Adhesive

PVC MEMBRANE ADHESIVE

Size: Large 55L  
Color: White  
Item Number: 05-2302-01

3000

**ODEK**

Roofing Adhesive

**UNO-FOAM**

48 SQUARES INSULATION ADHESIVE

ADHESIVO PARA AISLAMIENTO DE 48 ESCUADRAS

Size: 44 Liter

Color: White

Item Number: 05-3000-01

WPC Content: 8 g/L





# WHAT IS **QDEK®?**

---

**QDEK®** is a revolutionary range of spray adhesives and primers designed specifically for the bonding of single ply membranes, insulation boards and self-adhesive membranes or vapor control layers in flat roofing applications. Available in 22 and 108 Liter canister systems, **QDEK®** delivers a fast, high coverage and clean application compared to traditional liquid or roll on adhesives.

The canister system removes the need to use traditional methods of bonding which are time consuming, messy and wasteful. With **QDEK®** spray adhesive, the user is in full control, and can apply the glue up to 20" wide in one pass, covering large areas at a rapid rate.

Our unique formulations have been proven to eliminate most of the time spent waiting for glue to tack. With roll on adhesives you can be waiting up to 25 minutes or more, but **QDEK®** can tack off in as little as 2 minutes.

With our cold weather formula, you can confidently apply the **QDEK®** adhesive at 25 degrees ambient temperature and rising with phenomenal results, giving increased flexibility and the ability to apply adhesive all year round.

**QDEK®** is guaranteed to speed up installation, reduce adhesive application time and drastically reduce tack time, while delivering peace of mind through superior bond performance.

# **OUR MANUFACTURER COMMITMENT**

---

We're on a bold mission to push the boundaries of what's possible with adhesives. We develop formulas that are better, stronger, faster and safer right now, for a future that has yet to be created. We deliver product training, sales strategy and customer support to make it easy for our clients to do business and easy for end-users to apply our products.

To learn more about the QDEK roofing adhesive system, including helpful how-to and installation instruction videos scan the QR code:







**QDEK**  
roofing adhesive  
PVC MEMBRANE ADH  
Size: Large 22L  
Color: Clear  
Item Number: QD-0000-22

**3000**

**QDEK**  
roofing adhesive

**UNO-FOAM**  
48 SQUARES INSULATION  
ADHESIVO PARA AISLAMIENTO DE 48 ES


Size: 22 Liter  
Color: White  
Item Number: QD-3000-22  
VOC Content: 0 g/L

ECR25-020-0425



# THE GUN SYSTEM

---



The UNO-FOAM™ Gun is the exclusive applicator for UNO-FOAM™ QD3000 48 Squares Insulation Adhesive. For optimal performance and a clean bead every time, UNO-FOAM™ should only be applied with the UNO-FOAM™ gun. *Not compatible with web spray contact adhesives, primers, or fleeceback adhesives.*

---

**UNO-FOAM™ GUN**

## ADJUSTMENT WHEEL

Use this to control the flow of adhesive dispersed from the gun. Turn counter-clockwise to open and clockwise to close. Each swipe of the adjustment wheel equals roughly 1/3 of a full turn.

## SPRAY TIP

Interchangeable spray tip for optimal performance - subject to adhesive type.



## HOSE CONNECTION

Attach the hose here to connect the gun to the adhesive canister.

## TRIGGER

Squeeze the trigger to dispense the adhesive.

The Detail Gun is designed for applying adhesive onto smaller areas like parapets or upstands, where close attention to adhesive coat weight is critical prior to the bonding of waterproofing membrane or self-adhesive VCL's.



**ADJUSTMENT WHEEL**

Use this to control the flow of adhesive dispersed from the gun. Turn counter-clockwise to open and clockwise to close. Each swipe of the adjustment wheel equals roughly 1/3 of a full turn.

**SPRAY TIP**

Interchangeable spray tip for optimal performance - subject to adhesive type.

**HOSE CONNECTION**


Attach the hose here to connect the gun to the adhesive canister.

**TRIGGER**

Squeeze the trigger to dispense the adhesive.

The Field Gun is designed for applying adhesive across large field areas. The long wand eliminates the need for users to bend/kneel down while applying adhesive, removing strain on the back and knees and allowing for a comfortable experience during adhesive application.

# THE CANISTER SYSTEM



## VALVE

Controls the flow of adhesive from the canister.

## DIP TUBE

Reaches to the bottom of the canister to ensure every drop of adhesive is used.

## ADHESIVE & GAS MIX

Engineered for industry-leading performance and coverage. Pressurized gas is used to propel the adhesive out of the system.

## TPO/EPDM MEMBRANE



# QD2040

### TPO/EPDM MEMBRANE ADHESIVE

**QDEK® QD-2040** is an aggressive, high tack contact adhesive with excellent temperature resistance and complies with stringent California VOC requirements (SCAQMD Rule 1168). QD-2040 is designed to bond TPO and EPDM to traditional roofing substrates and formulated to be used as a primer when bonding self-adhering membranes. Also used for fleece back membranes when applying adhesive to both surfaces. Formulated with CO-REZ™ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater Coverage from Less Canister Weight.

#### ADVANTAGES:


- Tenacious, High Strength Bond
- High Heat Resistance
- Labor-Saving Spray-On Adhesive
- High Coverage
- Low VOC California Compliant
- Fully Portable System

#### COLOR:

- Green

## TECHNICAL DATA

#### COVERAGE (SQUARES):



This coverage assumes double-sided application, sprayed according to directions below. Coverage rates may vary based on ambient temperature, substrate type, spraying speed, etc.

#### APPLICATION TYPE:



2 SIDED

#### OPEN TIME\*:



60 MINS

#### SPRAY TYPE:



WEB SPRAY

#### AVAILABLE SIZES:



INTERMEDIATE  
108L



LARGE 22L

#### GUN TYPE:



M120 SPRAY  
GUN  
(DETAIL GUN)

#### HOSE TYPE:



M130 FLEXIBLE  
RUBBER HOSE



M125 WAND  
SPRAY GUN  
(FIELD GUN)



TDS/SDS

## PVC MEMBRANE



# QD2302

### PVC MEMBRANE ADHESIVE

**QDEK® QD-2302** is a revolutionary high performance, plasticizer resistant adhesive with excellent temperature resistance and complies with stringent California VOC requirements (SCAQMD Rule 1168). QD-2302 is designed to bond PVC Membrane to traditional roofing substrates. Formulated with CO-REZ™ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater Coverage from Less Canister Weight.

#### ADVANTAGES:

- Tenacious, High Strength Bond
- Extreme Heat Resistance
- Labor-Saving Spray-On Adhesive
- Highest Coverage of PVC Membrane Adhesive Canisters
- Zero VOC California Compliant
- Fully Portable System

#### COLOR:

○ Clear

## TECHNICAL DATA

#### COVERAGE (SQUARES):



This coverage assumes double-sided application, sprayed according to directions below. Coverage rates may vary based on ambient temperature, substrate type, spraying speed, etc.

#### APPLICATION TYPE:



2 SIDED

#### OPEN TIME\*:



20 MINS

#### SPRAY TYPE:



WEB SPRAY

#### AVAILABLE SIZES:



LARGE 22L

#### GUN TYPE:



M120 SPRAY GUN  
(DETAIL GUN)



M125 WAND SPRAY GUN  
(FIELD GUN)

#### HOSE TYPE:



M180 FLEXIBLE RUBBER HOSE



TDS/SDS



## 48 SQUARES INSULATION



# QD3000 UNO-FOAM

## 48 SQUARES INSULATION ADHESIVE

QDEK® QD-3000 UNO-FOAM™ is a one-part, instant-rise polyurethane foam adhesive designed for bonding most insulation boards to conventional roofing materials. Instantly foamed bead enables fast installation with no wait time. Its one-part system simplifies application- it comes out right every time with no wasted adhesive. UNO-FOAM™ is compatible with a wide range of roofing substrates, including:

- Metal deck
- Cover board
- SPF (Spray Polyurethane Foam)
- Structural or lightweight concrete
- Smooth or granulated Modified Bitumen
- Smooth BUR
- Wood/fiberboard
- Painted or galvanized steel
- Paper or coated glass facer insulation board
- Polystyrene Insulation

### COLOR:

- White

## TECHNICAL DATA

### COVERAGE (SQUARES):



This coverage assumes single-sided application, sprayed according to directions below. Coverage rates may vary based on ambient temperature, substrate type, spraying speed, etc.

### APPLICATION TYPE:



1 SIDED

### OPEN TIME\*:



5 MINS

### SPRAY TYPE:



FOAM BEADED

### AVAILABLE SIZES:



LARGE 22L

### GUN TYPE:



M160 WAND  
FOAM ADHESIVE  
GUN  
(UNO-FOAM™  
GUN)

### HOSE TYPE:



M130 FLEXIBLE  
RUBBER HOSE

## ADVANTAGES:

- 1-Part System
- Exceptional High Coverage
- Lower Installed Cost per Square
- Zero VOCs, California Compliant
- Instant Rise Foam Bead for Rapid Install
- Fast Start Up & Shut Down
- Reduced Carbon Footprint
- Convenient, Easy-to-Use Spray



TDS/SDS



# UNO-FOAM Toolkit

The UNO-FOAM™ Toolkit is perfect for getting set up with the QDEK® QD3000 UNO-FOAM™ single canister insulation roofing adhesive. It contains M160-18 Wand Polyurethane gun, M180-18 white flexible hose, and the TensorWrench adjustable wrench.



# M125

## WAND SPRAY GUN

The fastest, easiest application of canister spray adhesives ever! Extend your reach, save your back and cut down on application time with a wide fan web spray. Best for applications where bending over or reaching is required. For use with QD2302 and QD2040.



# 11002B

## BRASS SPRAY TIP

This UniJet® brass spray tip is used for QD2040 and QD2302 with high flow and very adjustable spray patterns. For optimal performance, change out the spray tip regularly.



# M160-450

## 18" WAND POLYURETHANE GUN

The M160-18 18" Wand Polyurethane Gun features a long wand extension for added comfort and ease of use. This professional-grade gun is one of a kind with its unique airtight spray tip, allowing it to be reused. Designed for use with QD3000 UNO-FOAM™.



# M180

## WHITE FLEXIBLE HOSE

The M180 white flexible hose is designed to be used for all QDEK® canister adhesives.

### SIZES:

- 12'
- 18'
- 25'



# S101

## PREMIUM CITRUS ADHESIVE CLEANER

**Quin Tensorgrip® S101** : a premium citrus based adhesive cleaner and remover designed for safe and powerful adhesive removal. Ideal for various applications such as surface cleaning, adhesive spray equipment purging, and decal adhesive residue removal, S101 ensures compatibility with most non-porous materials for hassle-free use. Simplify your adhesive management with Tensorgrip S101 reliable, efficient, and trusted.

### ADVANTAGES:

- Slow dry for maximum usability
- Compatible with most plastics
- Pleasant citrus scent
- Convenient for purging adhesive spray equipment
- Fully portable system
- 100% Cleaner transfer to surface
- Can be used with most spray guns and hoses

**Not for sale or use in California.**

## TECHNICAL DATA

### SPRAY TYPE:



MIST SPRAY

### OPEN TIME:



5-7 MINS

### AVAILABLE SIZES:



LARGE 22L



MINI 7L



AEROSOL  
650 ML  
(22 FL OZ)



TDS/SDS



# S104

## ADHESIVE CLEANER & REMOVER

Quin Tensorgrip® S104 is an adhesive cleaner and remover designed to safely and powerfully remove adhesives and other tough substances.

### ADVANTAGES:

- Exceptional cleaning and degreasing power
- Non-corrosive
- Compatible with most plastics
- Cleans hoses, spray guns, and other adhesive equipment
- Decal adhesive residue removal

Not for sale or use in California.

## TECHNICAL DATA

### SPRAY TYPE:



MIST SPRAY

### AVAILABLE SIZES:



LARGE 22L



MINI 7L



AEROSOL  
650 ML  
(22 FL OZ)



TDS/SDS



# S105

## ACETONE CLEANER

**Quin Tensorgrip® S105** is an acetone-based cleaner designed for cleaning out hoses and guns used for polyurethane canisters. Works well for cleaning uncured/wet polyurethane adhesive.

### ADVANTAGES:

- Effective as a gun & hose clean out
- Hazardous Air Pollutants free
- Low Odor
- Low VOC
- Fully portable system
- Safe to use on most materials

**Not for sale or use in California.**

## TECHNICAL DATA

### SPRAY TYPE:



MIST SPRAY

### AVAILABLE SIZES:



LARGE 22L



MINI 7L



TDS/SDS



# S800

### TIP CLEANER FOR CROSS-LINKING CONTACT ADHESIVE

**Quin Tensorgrip® S800** is a powerful, unique tip cleaner developed specifically for care of gun tips used with Tensorgrip® cross-linking contact adhesives. This cleaner effortlessly eliminates adhesive blockage from gun tips without creating an unnecessary mess or affecting moisture-cure adhesives negatively.

#### ADVANTAGES:

- Safe & Effective
- Fast cleaning of tips
- Assists in smooth, uninterrupted spray of Tensorgrip® cross-linking contact adhesives
- Hazardous Air Pollutants free
- No mess

**Not for sale or use in California.**

## TECHNICAL DATA

#### SPRAY TYPE:



MIST SPRAY

#### AVAILABLE SIZES:



AEROSOL  
650 ML  
(22 FL OZ)



**TDS/SDS**



A brand of

---

[www.quin-global.com](http://www.quin-global.com) | [www.qdekusa.com](http://www.qdekusa.com)  
[info.us@quin-global.com](mailto:info.us@quin-global.com) | +1 402 731 3636

B-QDCAT | ECR25-020-0525