



**QDEK®**  
roofing adhesive



## WHAT IS **QDEK**?

**QDEK**® is a revolutionary range of spray adhesives and primers designed specifically for the bonding of single ply membranes, insulation boards and self-adhesive membranes or vapor control layers in flat roofing applications. Available in 22 and 108 Liter canister systems, **QDEK**® delivers a fast, high coverage and clean application compared to traditional liquid or roll on adhesives.

The canister system removes the need to use traditional methods of bonding which are time consuming, messy and wasteful. With **QDEK**® spray adhesive, the user is in full control, and can apply the glue up to 20" wide in one pass, covering large areas at a rapid rate.

Our unique formulations have been proven to eliminate most of the time spent waiting for glue to tack. With roll on adhesives you can be waiting up to 25 minutes or more, but **QDEK**® can tack off in as little as 2 minutes.

With our cold weather formula, you can confidently apply the **QDEK**® adhesive at 25 degrees ambient temperature and rising with phenomenal results, giving increased flexibility and the ability to apply adhesive all year round.

**QDEK**® is guaranteed to speed up installation, reduce adhesive application time and drastically reduce tack time, while delivering peace of mind through superior bond performance.

To learn more about the **QDEK** roofing adhesive system, including helpful how-to and installation instruction videos scan the QR code:





# QD2040

## TPO/EPDM MEMBRANE ADHESIVE

QDEK® QD-2040 is an aggressive, high tack contact adhesive with excellent temperature resistance and complies with stringent California VOC requirements (SCAQMD Rule 1168). QD-2040 is designed to bond TPO and EPDM to traditional roofing substrates and formulated to be used as a primer when bonding self-adhering membranes. Also used for fleece back membranes when applying adhesive to both surfaces. Formulated with CO-REZ™ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater Coverage from Less Canister Weight.

### ADVANTAGES:

- Tenacious, High Strength Bond
- High Heat Resistance
- Labor-Saving Spray-On Adhesive
- High Coverage
- Low VOC California Compliant
- Fully Portable System

### COLOR:

- Green

## TECHNICAL DATA

### COVERAGE (SQUARES):



This coverage assumes double-sided application, sprayed according to directions below. Coverage rates may vary based on ambient temperature, substrate type, spraying speed, etc.

### APPLICATION TYPE:



2 SIDED

### OPEN TIME\*:



60 MINS

### SPRAY TYPE:



WEB SPRAY

### AVAILABLE SIZES:



LARGE 22L

### GUN TYPE:



M120 SPRAY GUN (DETAIL GUN)

### HOSE TYPE:



M130 FLEXIBLE RUBBER HOSE



M125 WAND SPRAY GUN (FIELD GUN)



TDS/SDS



# Membrane Adhesive Toolkit

The Membrane Adhesive Toolkit is perfect for getting set up with QD-2040 adhesive. It contains a M125 wand spray gun with M180-12 white flexible hose and adjustable wrench for convenience.



# M410 ADJUSTABLE HANDLE ROLLER

The M410 Roller is 7" wide, with a 3'-6" adjustable handle for increased reach and more comfort.



# M125

## WAND SPRAY GUN

The fastest, easiest application of canister spray adhesives ever! Extend your reach, save your back and cut down on application time with a wide fan web spray. Best for applications where bending over or reaching is required. For use with QD2040.



# M180

## WHITE FLEXIBLE HOSE

The M180 white flexible hose is designed to be used for all QDEK® canister adhesives.



# 11002B

## BRASS SPRAY TIP

This UniJet® brass spray tip is used for QD2040 with high flow and very adjustable spray patterns. For optimal performance, change out the spray tip regularly.



## QD3000 UNO-FOAM

### 48 SQUARES INSULATION ADHESIVE

QDEK® QD-3000 UNO-FOAM™ is a one-part, instant-rise polyurethane foam adhesive designed for bonding most insulation boards to conventional roofing materials. Instantly foamed bead enables fast installation with no wait time. Its one-part system simplifies application- it comes out right every time with no wasted adhesive. UNO-FOAM™ is compatible with a wide range of roofing substrates, including:

- Metal deck
- Cover board
- SPF (Spray Polyurethane Foam)
- Structural or lightweight concrete
- Smooth or granulated Modified Bitumen
- Smooth BUR
- Wood/fiberboard
- Painted or galvanized steel
- Paper or coated glass facer insulation board
- Polystyrene Insulation

### COLOR:

- White

### TECHNICAL DATA

#### COVERAGE (SQUARES):



This coverage assumes single-sided application, sprayed according to directions below. Coverage rates may vary based on ambient temperature, substrate type, spraying speed, etc.

#### APPLICATION TYPE: OPEN TIME\*:



1 SIDED



5 MINS

#### SPRAY TYPE: AVAILABLE SIZES:



FOAM BEADED



LARGE 22L

#### GUN TYPE: HOSE TYPE:



M160 WAND  
FOAM ADHESIVE  
GUN  
(UNO-FOAM™  
GUN)



M130 FLEXIBLE  
RUBBER HOSE

#### ADVANTAGES:

- 1-Part System
- Exceptional High Coverage
- Lower Installed Cost per Square
- Zero VOCs, California Compliant
- Instant Rise Foam Bead for Rapid Install
- Fast Start Up & Shut Down
- Reduced Carbon Footprint
- Convenient, Easy-to-Use Spray



TDS/SDS



## UNO-FOAM Toolkit

The UNO-FOAM™ Toolkit is perfect for getting set up with the QDEK® QD3000 UNO-FOAM™ single canister insulation roofing adhesive. It contains M160-18 Wand Polyurethane gun, M180-12 white flexible hose, and the TensorWrench adjustable wrench.

## M160-18

### 18" WAND POLYURETHANE GUN

The M160-18 18" Wand Polyurethane Gun features a long wand extension for added comfort and ease of use. This professional-grade gun is one of a kind with its unique airtight spray tip, allowing it to be reused. Designed for use with QD3000 UNO-FOAM™.

## M180

### WHITE FLEXIBLE HOSE

The M180 white flexible hose is designed to be used for all QDEK® canister adhesives.

## CLEANERS



# S103

### CA COMPLIANT ADHESIVE REMOVER

Tensorgrip® S103 Aerosol is a California-compliant, general-purpose adhesive remover, designed for safe and efficient cleanup of adhesive overspray, decal residue, and equipment surfaces. Suitable for use on a wide range of non-porous substrates, S103 aerosols delivers reliable performance with a fast-acting, low-odor formula. S103 in canisters is excellent for gun and hose clean outs. Features CO-REZ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater Coverage from Less Weight.

#### ADVANTAGES:

- Versatile, general-purpose use: safe to use on most plastics and non-porous substrates
- CARB & SCAQMD 1171 Compliant: low VOC formulation supports a safer, healthier workspace
- Quick-acting and effective formula: dissolves adhesives in 1-3 minutes
- Pleasant fragrance
- High transfer efficiency, reducing waste

## TECHNICAL DATA

### SPRAY TYPE:



MIST SPRAY

### OPEN TIME:



1-3 MINUTES

### AVAILABLE SIZES:



LARGE 22L



MINI 7L



AEROSOL  
650 ML  
(22 FL OZ)



TDS/SDS



A brand of



---

[www.quin-global.com](http://www.quin-global.com) | [www.qdekusa.com](http://www.qdekusa.com)  
[info.us@quin-global.com](mailto:info.us@quin-global.com) | +1 402 731 3636