

OUR REEFER REPAIR ADHESIVE RANGE

EPO
SERIES



Tensorgrip®



WHAT IS TENSORGRIP®?

A leader in canister adhesive systems. Passionately creating success with simplified innovative technology.

No other spray adhesive product can compare to the strength, tenacity and reliability of Tensorgrip®. Available in canisters as well as aerosols, our innovative formula breaks down barriers presented by time-consuming traditional bonding methods.

Four things set Tensorgrip® apart from other adhesive brands:

Unique Range of Adhesives

Our 100% non-flammable contact adhesives outperform others, without compromising time advantages. We developed the world's first cross-linking contacts that change form when cured to develop a highly resistant thermoset bond. These same adhesives are also resistant to plasticizer migration, making them safe for vinyl and rubber bonding.

Simplified Labeling System

To make adhesives easier to choose and identify, we've developed a simple icon-based system of identification so that you can be assured of using the right adhesive.

CO-REZ Technology



Select Tensorgrip® products feature advanced CO-REZ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: greater coverage from the same container. MORE GLUE—LESS GAS!

ZERO-FLAM™ Technology



Select Tensorgrip® products feature an easy way to prevent any canister related mishaps... ZERO-FLAM™ technology. Thanks to a unique propellant system of non-flammable gases, you'll benefit from a 100% non-flammable canister adhesive system. In addition, you'll love the unparalleled spray performance that is only available with our exceptional ZERO-FLAM™ technology.



REEFER REPAIR ADHESIVE RANGE

Simplifying Adhesive Users' Lives

WHAT SIZES OF TENSORGRIP® ARE AVAILABLE?



Aerosol - 650ML (22 FL OZ)

This convenient aerosol is great for small applications or for less-frequent users. Small but sticks all the same!



Mini - 7L

The Mini is a portable, and yet great for tight spaces. It contains more adhesive than an aerosol so you'll be more efficient with fewer changeovers.



Large - 22L

Our most popular adhesive container, the 22L canister is great for production where ultimate portability is required.

THE TENSOR LABEL SYSTEM

Choosing the right product for the job should never be a hassle. We have developed a labeling system to help make choosing the correct adhesive as quick and easy as possible! Our aerosol and canister labels are color-coded to fit specifically into the most appropriate markets for use and feature icons that help you define which applications the adhesive is best suited for.

SUBSTRATE IDENTIFICATION

ICONS



Bender Board



Brick



Carpet Tile



Carpet



Concrete



Cork



Drywall/Plasterboard



Fabric



Fiberglass Infusion



Foam



FRL



FRP/GRP



High-Gloss/Def Laminate



Insulation



Leather



LVT



MDF



Metal/Aluminum Sheeting



Plastics



Plywood



Polystyrene



Post-Forming



PVC Pipe



Rubber/Vinyl



Standard Laminate



Synthetic Leather



Thick Fabric



Thin Fabric



Timber/Wood



Veneers



Vinyl



Wood Buildups

PRODUCT PROPERTY

ICONS



California Compliant



CO-REZ Technology



Class A Fire Rated



Liquid Resistant



Low VOC



ZERO-FLAM Technology



Hazardous Air Pollutant Free



Bead Dispensing



Pebble Spray



Snowflake Spray



Web Spray



Mist Spray



Heat Resistance



REEFER REPAIR ADHESIVE RANGE

Simplifying Adhesive Users' Lives

3 REASONS YOU NEED TO USE **TENSORGRIP® REEFER REPAIR** ADHESIVE

EASY

Tensorgrip® Adhesive is made to simplify your job. Just 3 steps and a total of approximately 45 minutes per full wall. Only a few minutes of quick instruction and your team is ready to work!

ECONOMICAL

See your profits rise! With such a short turnaround time, you can push more jobs through your shop and get more done in a day.

EFFECTIVE

Trailer manufacturers recommend this glue because Tensorgrip® Adhesive is proven to be stronger than the original factory bond. You won't need to worry about liners coming loose. Here's to happy customers!

To learn more about Tensorgrip® Reefer Repair Adhesives including helpful **how-to** and installation **instruction videos** scan the QR code:



BESTREEFERADHESIVE.COM

STEP 1




After attaching the gun and hose to the canister, simply spray the wall foam & interior liner (e.g. Kemlite, Polar X, PunctureGuard, Versitex) with **Tensorgrip® Adhesive**.
Quick and easy to learn and get it right every time

STEP 2



When the adhesive is dry to the touch, you'll need a team of 3-10 people to work together to get the liner on the wall.
Once on the wall, the liner stays put and won't fall on you - no wasted time bracing the wall up and waiting for glue to cure.

STEP 3



Get maximum strength with the M410 Roller: push hard and roll the entire wall for a strong, successful repair.
Contact our adhesive experts to demo and trial EP0 in your shop:
402.731.3636 | info.us@quin-global.com



REEFER REPAIR ADHESIVE RANGE

Simplifying Adhesive Users' Lives

EPO-CA

Refrigerated Trailer Repair Adhesive

Tensorgrip® EP0-CA is a reefer liner repair system that eliminates blocking and bracing, and reduces cure time to 5 minutes so you can increase your profits and keep your customers coming back! Now you can successfully repair a full refrigerated trailer wall in 45 minutes rather than the standard 24 hours.

Advantages:

- Compliant with California VOC laws
- Fast dry with excellent initial bond
- Aggressive: high-strength, permanent bond
- 80% of final strength achieved immediately
- Full strength achieved in 24 hours
- Fast coverage of large areas

Application Tools:

- Hoses: M130
- Application Gun: M120 or M125
- Recommended Tip: UniJet® 11002B

DETAILS



TDS / SDS

SUBSTRATES



Foam



FRP Reefer
Liners

PROPERTIES



Web
Spray



CA
Compliant



CO-REZ™
Technology



Heat
Resistance up
to 200F/94C*

AVAILABLE SIZES



Large
22L



Mini 7L

AVAILABLE COLORS



Red

*The heat resistance value is for reference only and may vary by application. Users should perform their own tests to ensure suitability.

EPO-CAL

Low Odor, Low VOC Reefer Repair Adhesive

Tensorgrip® EPO-CAL is a reefer liner repair system that eliminates blocking and bracing, and reduces cure time to 5 minutes so you can increase your profits and keep your customers coming back! Now you can successfully repair a full refrigerated trailer wall in 45 minutes rather than the standard 24 hours. Formulated with CO-REZ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater Coverage from Less Canister Weight.

Advantages:

- Pleasant, mild odor
- Compliant with California VOC laws
- Fast dry with excellent initial bond
- Aggressive: high-strength, permanent bond
- 80% of final strength achieved immediately
- Full strength achieved in 24 hours
- Fast coverage of large areas

Application Tools:

- Hoses: M130
- Application Gun: M120 or M125
- Recommended Tip: UniJet® 11002B

DETAILS



TDS / SDS

SUBSTRATES



Foam



FRP Reefer
Liners

PROPERTIES



Web
Spray



CA
Compliant



CO-REZ™
Technology



Low Odor



Heat
Resistance up
to 200F/94C*

AVAILABLE SIZES



Large
22L



Mini 7L

AVAILABLE COLORS



Red

*The heat resistance value is for reference only and may vary by application. Users should perform their own tests to ensure suitability.



REEFER REPAIR ADHESIVE RANGE

Simplifying Adhesive Users' Lives

EPO-ZF

ZERO-FLAM™ Reefer Repair Adhesive

Tensorgrip® EP0-ZF non-flammable reefer liner repair system eliminates blocking and bracing, and reduces cure time to 5 minutes so you can increase your profits and keep your customers coming back! Now you can successfully repair a full refrigerated trailer wall in 45 minutes rather than the standard 24 hours - without worrying about a fire.

Advantages:

- Non-flammable
- Aggressive foam tearing bond
- No more wasting time waiting for adhesive to cure
- Wide spray pattern for faster application
- Fast dry with excellent initial bond

Application Tools:

- Hoses: M180
- Application Gun: M120 or M125
- Recommended Tip: UniJet® 11002B

Not for sale or use in California.



TDS / SDS



SUBSTRATES



Foam



FRP Reefer
Liners

PROPERTIES



Web
Spray



ZERO-FLAM®
Technology



Low
Odor



Heat
Resistance
up to
200F/94C*



Not
California
Compliant

AVAILABLE SIZES



Large
22L




Mini 7L

AVAILABLE COLORS



Blue

*The heat resistance value is for reference only and may vary by application. Users should perform their own tests to ensure suitability.



CLEANERS



REEFER REPAIR ADHESIVE RANGE - CLEANERS

Simplifying Adhesive Users' Lives

S101

Premium Citrus Adhesive Cleaner

Tensorgrip® S101: a premium citrus-based adhesive cleaner and remover designed for safe and powerful adhesive removal. Ideal for various applications such as surface cleaning, adhesive spray equipment purging, and decal adhesive residue removal, S101 ensures compatibility with most non-porous materials for hassle-free use. Simplify your adhesive management with Tensorgrip S101—reliable, efficient, and trusted.

Advantages:

- Slow dry for maximum usability
- Compatible with most plastics
- Pleasant citrus scent
- Convenient for purging adhesive spray equipment
- Fully portable system
- 100% Cleaner transfer to surface
- Can be used with most spray guns and hoses

Not for sale or use in California.

DETAILS



TDS / SDS

SUBSTRATES



Metal /
Aluminum
Sheeting



Standard
Laminate



Concrete



Plastics

PROPERTIES



Mist
Spray



HAPs
Free



CO-REZ™
Technology



Not
California
Compliant

AVAILABLE SIZES



Large
22L



Mini 7L



Aerosol
650ml
(22 FL OZ)

AVAILABLE COLORS



Clear

S103

CA Compliant Adhesive Remover

Tensorgrip® S103: a California-compliant, general-purpose adhesive remover, designed for safe and efficient cleanup of adhesive overspray, decal residue, and equipment surfaces. Suitable for use on a wide range of non-porous substrates, S103 delivers reliable performance with a fast-acting, low-odor formula. Features CO-REZ™ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater Coverage from Less Weight.

Advantages:

- Versatile, general-purpose use: safe to use on most plastics and non-porous substrates
- CARB Compliant: low VOC formulation supports a safer, healthier workspace
- Quick-acting and effective formula: dissolves adhesives in 1-3 minutes
- Pleasant fragrance
- High transfer efficiency, reducing waste

DETAILS



TDS / SDS

SUBSTRATES



Standard
Laminate



Metal /
Aluminum
Sheeting



Plastics



Concrete

PROPERTIES



Mist
Spray



California
Compliant Technology



CO-REZ™

AVAILABLE SIZES




Aerosol
650ml
(22 FL OZ)

AVAILABLE COLORS



Clear



TOOLS

MI20

Adjustable Spray Gun

Heavy duty, built to last through steady industrial use. This is your go-to spray gun, compatible with all of our spray tips and suitable for every industry.



MI25

Wand Spray Gun

The fastest, easiest application of canister spray adhesives ever! Extend your reach, save your back and cut down on application time with a wide fan web spray. Suitable for most web spray products. Best for applications where bending over or reaching is required.





MI30

Flexible Rubber Hose

The standard rubber coated hose is designed for use in heavy industrial situations. Maintains excellent flexibility and durability even through rigorous daily use.

Available Lengths:

- 6'
- 12'
- 18'
- 25'



MI80

White Flexible Hose

The M180 white flexible hose is designed specifically for our exclusive range of ZERO-FLAM Technology products. Features bend restrictors at each end, to reduce strain at the connection points and enhance the hose's longevity.

Available Lengths:

- 8'
- 12'
- 18'
- 25'



SPRAY TIPS

UniJet® 11002B - Large Area Spray Tip

The UniJet® 11002B spray tip nozzle has a high speed flow and adjustable spray pattern of between 5" – 18". Spray large areas, like a full wall job, faster! Another great way to amp up your output and maximize efficiency!



M410

Adjustable Handle Roller

The M410 Roller is 7" wide, with a 3'-6' adjustable handle for increased reach and more comfort.





This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.



QUIN AMERICAS
5510 F STREET
OMAHA, NE 68117
USA

WWW.BESTREEFERADHESIVE.COM
WWW.QUIN-GLOBAL.COM
INFO.US@QUIN-GLOBAL.COM
+1 402 731 3636

QUIN
GLOBAL

 **Tensor®**