



OUR  
**WOODWORKING**  
ADHESIVE RANGE



**Tensorgrip®**





# WHAT IS TENSORGRIP®?

**Global leader in canister adhesive systems. Passionately creating success with simplified innovative technology.**

As far as spray adhesives are concerned, no other product can compare to the strength, tenacity and reliability of Tensorgrip®. Available in canisters as well as aerosols, our innovative formula breaks down barriers presented by time-consuming traditional bonding methods with ease.

**Four major things really set Tensorgrip® apart from all other adhesive brands:**

## **Unique range of adhesives**

From 100% non-flammable contact adhesives that outperform without compromising time advantages to the world's first cross-linking contacts that change form when cured to develop a highly resistant thermoset bond. These same adhesives are also resistant to plasticizer migration, making them safe for vinyl and rubber bonding.

## **Simplified Labeling System**

To make adhesives easier to choose and identify, the gurus of Tensor developed a simple icon-based system of identification so that there's no reason to be using the wrong adhesive!



### **CO-REZ Technology**

Select Tensorgrip® products feature advanced CO-REZ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. MORE GLUE—LESS GAS! The result: greater coverage from the same container.



### **Zero Flam Technology**

Select Tensorgrip® products feature an easy way to prevent any canister related mishaps... ZERO-FLAM technology. Thanks to its unique propellant system of non-flammable gases, you'll benefit from a 100 per cent non-flammable canister adhesive system. In addition, you'll love the unparalleled spray performance, which is only available by utilising the exceptional ZERO-FLAM technology.



## OUR **WOODWORKING** ADHESIVE RANGE

### WHAT SIZES OF **TENSORGRIP®** ARE AVAILABLE?



#### **Aerosol - 650ML (22 FL OZ)**

This convenient aerosol is great for small applications or for less-frequent users. Small but sticks all the same!



#### **Mini - 7L**

The Mini is a portable, and yet great for tight spaces. It contains more adhesive than an aerosol so you'll be more efficient with fewer changeovers.



#### **Large - 22L**

Our most popular adhesive container, the 22L canister is great for production where ultimate portability is required.



#### **Intermediate - 108L**

The 108L canister is portable, but geared toward use in larger-scale production environments.



#### **Jumbo - 216L**

The largest in our range, the 216L canister is suitable for the largest-scale production applications. Multi-user friendly.

### THE TENSOR LABEL SYSTEM

Choosing the product that is right for the job should never have to be a hassle, so we at Tensor have developed a new labeling system to help make your choosing of the correct adhesive as quick and easy as possible! Our aerosol and canister labels have been color coded to fit specifically into the market of which they apply to most and now feature icons that help you define which applications the adhesive is best suited for.



## SUBSTRATE IDENTIFICATION ICONS



Bender Board



Brick



Carpet Tile



Carpet



Concrete



Cork



Drywall/  
Plasterboard



Fabric



Fiberglass  
Infusion



Foam



FRL



FRP/GRP



High-Gloss/  
Def Laminate



Insulation



Leather



LVT



MDF



Metal/  
Aluminum  
Sheeting



Plastics



Plywood



Polystyrene



Post-  
Forming



PVC Pipe



Rubber/  
Vinyl



Standard  
Laminate



Synthetic  
Leather



Thick  
Fabric



Thin  
Fabric



Timber/  
Wood



Veneers



Vinyl



Wood  
Buildups

## PRODUCT PROPERTY ICONS



California  
Compliant



CO-REZ  
Technology



Class A Fire  
Rated



Liquid  
Resistant



Low VOC



ZERO-FLAM  
Technology



Hazardous  
Air Pollutant  
Free



Bead  
Dispensing



Pebble  
Spray



Snowflake  
Spray



Web  
Spray



Mist  
Spray



Heat  
Resistance



# OUR WOODWORKING ADHESIVE RANGE

# L10

## High-Temp Contact Adhesive

Tensorgrip® L10 is a high performance industrial contact spray adhesive formulated for bonding laminate on porous or tough-to-bond materials. Formulated for fast dry time in cool and humid environments.

### Advantages:

- High tack
- Fast drying with long open time
- High heat resistance
- 100% Adhesive transfer to substrate

### Application Tools:

- Hose: M130
- Application Gun: M120
- Recommended Tip: UniJet® 9501B



TDS / SDS

### Substrates:



Standard  
Laminate



Metal /  
Aluminum  
Sheetting



MDF



Plywood

### Properties:



Web Spray



Low Odor



Heat  
Resistance up  
to 225F/107C

### Available Sizes:



Jumbo  
216L



Intermediate  
108L



Large  
22L



Mini 7L



Aerosol  
650ML  
(22 FL OZ)

### Available Colors:



Clear



Green



Red

# LION

## Non-Flam High-Temp Contact Adhesive

**Tensorgrip® L10N** is a non-flammable high performance spray adhesive formulated for bonding decorative HPL (high pressure laminate) to a variety of substrates. This is designed to deliver a smooth, strong bond in nearly any laminate application while maintaining perfect non-flammable properties. Formulated with CO-REZ Technology, Tensorgrip® L10N is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result is greater coverage from less canister weight.

### Advantages:

- Non-flammable
- Excellent high coverage
- High tack
- Fast dry with long open time
- 100% adhesive transfer to substrate
- VOC free
- 80% of final strength immediately
- Full strength achieved in 24 hours

### Application Tools:

- Hose: M180
- Application Gun: M120
- Recommended Tip: M201



TDS / SDS

### Substrates:



Standard  
Laminate



FRL



MDF

### Properties:



ZERO-FLAM  
Technology



Web Spray



CO-REZ  
Technology



Heat  
Resistance  
up to  
250F/122C

### Available Sizes:



Jumbo  
216L



Intermediate  
108L



Large  
22L



Mini 7L

### Available Colors:



Clear Blue



# OUR **WOODWORKING** ADHESIVE RANGE

# L12

## High-Build, High-Strength Web Spray Adhesive

Tensorgrip® L12 is a high solids web spray contact adhesive with good temperature resistance. Renowned for its instant strength and permanent, near-structural bond.

### Advantages:

- High build web spray
- Excellent for rigid substrates
- Instant aggressive bond - adheres to many surfaces
- High-strength, permanent bond
- Fast dry with excellent initial bond

### Application Tools:

- Hose: M130
- Application Gun: M120
- Recommended Tip: M201



TDS / SDS

### Substrates:



Bender Board



Wood Buildings

### Properties:



Web Spray



CO-REZ Technology



Heat Resistance up to 250F/122C

### Available Sizes:



Jumbo 216L



Intermediate 108L



Large 22L



Mini 7L



Aerosol 650ML (22 FL OZ)

### Available Colors:



Clear

# L16

## Fast Dry Pressure Sensitive Adhesive

Tensorgrip® L16 is a high solids, very fast dry, high tack spray adhesive that has good temperature resistance.

### Advantages:

- Aggressive – Adheres to nearly any surface
- Repositionable
- High tack
- Excellent high coverage
- Thick web spray
- 80% of final strength achieved immediately
- Full strength achieved in 24 hours
- Fast drying with long open time
- Excellent green strength and high heat resistance
- No ODS (Ozone Depleting Substances)
- OTC Compliant

### Application Tools:

- Hose: M130
- Application Gun: M120
- Recommended Tip: UniJet® 11001B




TDS / SDS


### Substrates:



### Properties:



### Available Sizes:



### Available Colors:



Clear Green



# OUR WOODWORKING ADHESIVE RANGE

# L17

## Fire Rated High-Temp Contact Adhesive

**Tensorgrip® L17** is a high performance fire rated, industrial spray contact adhesive formulated for bonding decorative HPL (high pressure laminate) to a variety of substrates. Fire rated testing includes ASTM E1354 test method for heat and visible smoke release complying with FMVSS 302 Standards.

### Advantages:

- Excellent for Fire Rated MDF
- Class A Fire rated
- Excellent Heat Resistance
- 100% Adhesive Transfer to Substrate
- Fully Portable System
- High Strength Permanent Bond

### Application Tools:

- Hose: M130
- Application Gun: M120
- Recommended Tip: UniJet® 9501B



TDS / SDS

### Substrates:



FRL

Standard  
Laminate



Metal/  
Aluminum  
Sheeting



FRP/GRP



MDF

### Properties:



Class A Fire  
Rated



Web  
Spray



Heat  
Resistance up  
to 250F/122C

### Available Sizes:



Jumbo  
216L



Intermediate  
108L



Large  
22L



Aerosol  
650ML  
(22 FL OZ)

### Available Colors:



Clear

# L17N

## Fire Rated Non-Flam Contact Adhesive

**Tensorgrip® L17N** is a high performance fire rated, industrial spray contact adhesive formulated for bonding decorative HPL (high pressure laminate) to a variety of substrates. Formulated with CO-REZ Technology, Tensorgrip L17N is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result is greater coverage from less canister weight. Fire rated testing includes ASTM E1354 test method for heat and visible smoke release complying with FMVSS 302 Standards.

### Advantages:

- Class A Fire Rated
- Completely non-flammable
- No VOCs
- Excellent high coverage
- 80% of final strength achieved immediately
- Full Strength achieved in 24 hours
- Excellent green strength
- No ODS (Ozone Depleting Substances)
- High Tack
- Fast Drying with long open time

### Application Tools:

- Hose: M180
- Application Gun: M120
- Recommended Tip: M201



TDS / SDS

### Substrates:



FRL



MDF



Metal/  
Aluminum  
Sheeting



FRP/GRP

### Properties:



Web  
Spray



Class A Fire  
Rated



ZERO-FLAM  
Technology



CO-REZ  
Technology



Heat  
Resistance up  
to 250F/122C

### Available Sizes:



Jumbo  
216L



Intermediate  
108L



Large  
22L



Mini 7L

### Available Colors:



Clear



## OUR WOODWORKING ADHESIVE RANGE

# L20

### CA Compliant Low VOC Contact Adhesive

Tensorgrip® L20 is formulated to achieve a successful, lasting bond to standard laminates and a range of other substrates while complying with strict California VOC regulations. Formulated with CO-REZ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater coverage from less canister weight.

#### Advantages:

- High tack
- Fast dry with excellent initial bond
- High-strength
- SCAQMD Rule 1168 Compliant
- Low VOC
- Qualifies for LEED 3.2, 4.1, 4.4

#### Application Tools:

- Hose: M130
- Application Gun: M120
- Recommended Tip: UniJet® 9501B



TDS / SDS

#### Substrates:



Standard  
Laminate

#### Properties:



CA  
Compliant



Web  
Spray



CO-REZ  
Technology



Heat  
Resistance up  
to 200F/94C

#### Available Sizes:



Jumbo  
216L



Intermediate  
108L



Large  
22L



Mini 7L



Aerosol  
650ML  
(22 FL OZ)

#### Available Colors:



Red Clear

# L30

## Post Formable Pebble Spray Contact Adhesive

Tensorgrip® L30 is formulated specifically to eliminate telegraphing and deliver quality results on high-gloss or thin laminates and in postforming applications. Formulated with CO-REZ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater coverage from less canister weight.

### Advantages:

- Post-formable
- Low VOC, CA Compliant
- Lower profile for thinner materials
- Excellent high coverage
- HAPS Free
- SCAQMD Rule 1168 Compliant
- No ODS (Ozone Depleting Substances)
- OTC Compliant

### Application Tools:

- Hose: M130
- Application Gun: M120
- Recommended Tip: UniJet® 4001B



TDS / SDS

### Substrates:



Standard  
Laminate

Post-  
Forming

### Properties:



Pebble  
Spray



CA  
Compliant



CO-REZ  
Technology



HAPS Free



Heat  
Resistance up  
to 200F/94C

### Available Sizes:



Jumbo  
216L



Intermediate  
108L



Large  
22L



Mini 7L

### Available Colors:



Blue Clear



## OUR WOODWORKING ADHESIVE RANGE

# L60

### Polystyrene Safe Pressure Sensitive Adhesive

Tensorgrip® L60 is an industrial strength aggressive and fast-drying pressure sensitive adhesive formulated to achieve a successful, lasting bond to fabric, foam and insulation. This unique formula enables it to be sprayed on Polystyrene without attacking it.

#### Advantages:

- Polystyrene safe
- Excellent for single- or double-sided use
- Very fast drying
- Long open time
- Full strength achieved in 24 hours
- Long-lasting high tack
- Moisture resistant and strong weather-resistant bond

#### Application Tools:

- Hose: M130
- Application Gun: M120
- Recommended Tip: UniJet® 9501B



TDS / SDS

#### Substrates:



Polystyrene



Fabric



Foam



Insulation

#### Properties:



Web  
Spray



Heat  
Resistance up  
to 150F/66C

#### Available Sizes:



Jumbo  
216L



Intermediate  
108L



Large  
22L



Aerosol  
650ML  
(22 FL OZ)

#### Available Colors:



Clear



Green-  
Aerosols  
Only

# L64

## Ultra-Low Profile Contact Adhesive

**Tensorgrip® L64** is the ONLY spray contact adhesive for bonding GLOSS decorative surfaces. It's developed to give a perfect mist spray pattern for the lowest-profile available. **Tensorgrip® L64** also complies with California VOC regulations (SCAQMD Rule 1168). Formulated with CO-REZ Technology, which is exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater coverage from less canister weight.

### Advantages:

- Super low profile, doesn't telegraph
- Excellent for high gloss and thin laminate
- Excellent high coverage
- Post-formable
- OTC Compliant
- 80% of final strength achieved immediately
- Full strength achieved in 24 hours
- Low VOC California Compliant
- SCAQMD Rule 1168 Compliant
- HAPS Free
- No ODS (Ozone Depleting Substances)

### Application Tools:

- Hose: M130
- Application Gun: M120
- Recommended Tip: M201



TDS / SDS

### Substrates:



High Gloss Laminate    Post-Forming

### Properties:



Pebble Spray



CA



CO-REZ  
Compliant Technology



HAPS Free



Heat  
Resistance up  
to 200F/94C

### Available Sizes:



Jumbo  
216L



Intermediate  
108L



Large  
22L



Mini 7L

### Available Colors:



Blue    Clear



# OUR **WOODWORKING** ADHESIVE RANGE

# L70

## CA-Compliant Crosslinking Contact Adhesive

**Tensorgrip® L70** is a revolutionary high performance, plasticizer resistant adhesive, specially formulated for bonding vinyl, rubber and plastics. Works well on decorative surfaces subject to plasticizer migration as well as many other surfaces including standard laminate and aluminium. Like epoxy, chemically reacts to create permanent bond.

### Advantages:

- Bonds vinyl permanently
- VOC free
- Excellent plasticizer resistance
- Strong, permanent bonds
- High output for fast application
- Semi-repositionable
- Resist weathering, water, fuel, oil and many other plasticizers
- Bonds to damp surfaces (moisture cure)

### Application Tools:

- Hose: M180
- Application Gun: M120
- Recommended Tip: UniJet® 9501B



TDS / SDS

### Substrates:



Rubber/  
Vinyl



Standard  
Laminate



FRP/GRP



Metal/  
Aluminum  
Sheeting



Veneers

### Properties:



Web  
Spray



CA  
Compliant



Low VOC



Heat  
Resistance  
up to  
450F/232C

### Available Sizes:



Large  
22L

### Available Colors:



Clear

# L80

## Polystyrene Foam Contact Adhesive

**Tensorgrip® L80** is one of only a few high performance contact adhesives that won't attack polystyrene foam. Boasting an unmatched bond, easy application and retained tackiness, Tensorgrip® L80 will also bond to many other substrates such as other foams, MDF, chipboard, plywood and many plastics.

### Advantages:

- Will not attack polystyrene
- Water resistant
- Fast Tack
- Permanent bond - even to porous substrates
- 80% of final strength immediately

### Application Tools:

- Hose: M130
- Application Gun: M120
- Recommended Tip: UniJet® 9501B



TDS / SDS

### Substrates:



Polystyrene

### Properties:



Web  
Spray



Heat  
Resistance up  
to 200F/94C

### Available Sizes:



Large  
22L



Mini 7L



Aerosol  
650ML  
(22 FL OZ)

### Available Colors:



Clear



Blue



Green -  
Aerosols  
Only



## OUR **WOODWORKING** ADHESIVE RANGE

# L99N

### Non-Flam Non-MECL Contact Adhesive

Tensorgrip® L99N is a completely non flammable, non methylene chloride canister adhesive. Multi purpose with excellent bond to unsanded melamine, difficult to bond foams such as memory foam and polyurethane foam and many other substrates.

#### Advantages:

- Non-flammable
- Non-Methylene Chloride
- High Heat Resistance
- Lowest VOC content of Non-Flam, Non-Methylene Chloride Adhesives
- 100% Adhesive Transfer to substrate
- Fully Portable System

#### Application Tools:

- Hose: M180
- Application Gun: M120
- Recommended Tip: M201



TDS / SDS

#### Substrates:



Standard Laminate



Metal/  
Aluminum  
Sheeting



MDF



Plastics

#### Properties:



Web  
Spray



ZERO-FLAM  
Technology



HAPs Free



Heat  
Resistance  
up to  
200F/94C

#### Available Sizes:



Jumbo  
216L



Intermediate  
108L



Large  
22L




Mini 7L

#### Available Colors:



Blue Clear



**CLEANERS**



## OUR **WOODWORKING** ADHESIVE RANGE

# S101

### Citrus Adhesive Cleaner

**Tensorgrip® S101** is a bio-safe citrus solvent/cleaner, degreaser and adhesive remover designed to safely and powerfully remove adhesives and other tough substances. Available in small canisters for purging adhesive spray equipment.

#### Advantages:


- Cleans hoses, spray guns and other adhesive equipment
- Exceptional cleaning/degreasing power
- Pleasant citrus scent
- Safer than most comparable cleaners
- Compatible with most plastics
- Non-corrosive
- Biodegradable
- Decal residue removal - safe for powder-coated surfaces

#### Application Tools:

- Hose: M130
- Application Gun: M120
- Recommended Tip: M201



TDS / SDS



#### Properties:



Mist  
Spray

#### Available Sizes:



Large  
22L



Mini 7L



Aerosol  
650ML  
(22 FL OZ)

# S104

## Adhesive Cleaner & Remover

Tensorgrip® S104 is an adhesive cleaner and remover designed to safely and powerfully remove adhesives and other tough substances.

### Advantages:

- Exceptional cleaning and degreasing power
- Non-corrosive
- Compatible for most plastics
- Cleans hoses, spray guns, and other adhesive equipment
- Decal adhesive residue removal

### Application Tools:

- Hose: M130
- Application Gun: M120
- Recommended Tip: M201



### Properties:



Mist  
Spray

### Available Sizes:



Large  
22L



Mini 7L



Aerosol  
650ML  
(22 FL OZ)



TDS / SDS



## OUR **WOODWORKING** ADHESIVE RANGE

# S800

### Tip Cleaner for Cross-Linking Contact Equipment


Tensorgrip® S800 is a powerful, unique tip cleaner developed specifically for care of gun tips used with Tensorgrip® cross-linking contact adhesives. This cleaner effortlessly eliminates adhesive blockage from gun tips without creating an unnecessary mess or affecting moisture cure adhesives negatively.

#### Advantages:

- Safe & Effective
- Fast cleaning of tips
- Assists in smooth, uninterrupted spray of Tensorgrip® cross-linking contact adhesives
- No mess
- No HAPs



TDS / SDS



#### Properties:




Mist  
Spray

#### Available Sizes:



Aerosol  
650ML  
(22 FL OZ)



TOOLS



## OUR **WOODWORKING** ADHESIVE RANGE

# MI20

### Adjustable Spray Gun

Heavy duty, built to last through steady industrial use. This is your go-to spray gun, compatible with all of our spray tips and suitable for every industry.



# MI25

### Wand Spray Gun

The fastest, easiest application of canister spray adhesives ever! Extend your reach, save your back and cut down on application time with a wide fan web spray. Suitable for most web spray products. Best for applications where bending over or reaching is required.





# MI30

## Flexible Rubber Hose

The standard rubber coated hose is designed for use in heavy industrial situations. Maintains excellent flexibility and durability even through rigorous daily use.

### Available Lengths:

- 12'
- 18'
- 25'



# MI80

## Quin White Flexible Hose

The M180 white flexible hose is designed specifically for our exclusive range of Zero-Flam technology products.

### Available Lengths:

- 8'
- 12'
- 18'
- 25'





## OUR **WOODWORKING** ADHESIVE RANGE

# M300

### Two Way Splitter

Now you can use two spray guns off of one canister! For use with 108 liter and 216 liter canisters.



# SPRAY TIPS

The recommended spray tip is engineered to be suited to your application and is included with every canister. For optimal performance, change out the spray tip regularly.



### Available Types:

- **M201** Ultimate Anti-Bearding Brass Spray Tip, Low Flow
- **4001B** UniJet® Brass Spray Tip, Narrow Adjust Spray, Regular Flow
- **6501B** UniJet® Brass Spray Tip, Wide Adjust. Spray, Regular Flow
- **9501B** UniJet® Brass Spray Tip, Wider Adjust. Spray, Regular Flow
- **11001B** UniJet® Brass Spray Tip, Extra Wide Adjust. Spray, Regular Flow
- **1100050B** UniJet® Brass Spray Tip, Wide Adjust. Spray, Low Flow



# M510-22

## Canister Trolley System

The ideal solution for shop and large field jobs where portability is of the essence. The trolley allows a seamless spray application and easy transport of the 22L canister.



# TOOLKIT-12

This TOOLKIT-12 is great for any spray adhesive user, beginner or advanced.

### Includes:

- M180-12 hose
- M120 spray gun
- Multi-purpose wrench





# NOTES

[illegible]



# NOTES

This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Need more information? Have questions? Get in touch with our adhesive enthusiasts today. We're waiting for you to contact us!

**CALL:**

+1 402 731 3636

**E-MAIL:**

[info.us@quin-global.com](mailto:info.us@quin-global.com)

**VISIT:**

[www.TensorGlobal.com](http://www.TensorGlobal.com)

[www.QuinGlobal.com](http://www.QuinGlobal.com)

**QUIN GLOBAL US, INC.**

5510 F Street

Omaha, NE 68117

USA



*Tomorrow's Adhesives, Today*

**QUIN GLOBAL US, INC.**  
5510 F Street  
Omaha, NE 68117  
USA

[www.TensorGlobal.com](http://www.TensorGlobal.com)  
[www.QuinGlobal.com](http://www.QuinGlobal.com)  
[info.us@quin-global.com](mailto:info.us@quin-global.com)  
+1 402 731 3636

**QUIN**  
GLOBAL

